



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.05.2013

Version number 1

Revision: 13.05.2013

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** JAX Magna-Plate 78 (Trigger Spray)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Application of the substance / the preparation:** Lubricant.

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

JAX INC.

W134 N5373 CAMPBELL DRIVE

MENOMONEE FALLS, WI 53051 USA

Tel: +01-262-781-8850

Fax: +01-262-781-3906

##### Further information obtainable from:

REACH Only Representative

B-Lands Consulting

WTC, 5 Place Robert Schuman, BP 1516

38025 Grenoble, FRANCE

Tel: +33 476 295 869

Fax: +33 476 295 870

services@reachteam.eu

www.reachteam.eu

#### 1.4 Emergency telephone number

UK - National Poisons Emergency: +44 870 600 6266 (24h - health professionals only).

Ireland - National Poisons Information Centre: +353 1 8379964.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

##### Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms:



GHS02 GHS08

**Signal word:** Danger

##### Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated heavy\*

##### Hazard statements:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

##### Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.05.2013

Version number 1

Revision: 13.05.2013

**Trade name:** JAX Magna-Plate 78 (Trigger Spray)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P331 Do NOT induce vomiting.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:** \*Contains less than 0.1 % w/w benzene (EC: 200-753-7).

## 2.3 Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components:

CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy*	10-25%
EINECS: 265-150-3	Xn R65	
Index number: 649-327-00-6	Flam. Liq. 3, H226; Asp. Tox. 1, H304	

#### Additional information:

\*Contains less than 0.1 % w/w benzene (EC: 200-753-7).

For the wording of the listed risk phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:** No special measures required.

**After inhalation:** Supply fresh air or oxygen; call for doctor.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

#### After eye contact:

Remove contact lenses, if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

#### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet.

### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

### 5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.05.2013

Version number 1

Revision: 13.05.2013

**Trade name:** JAX Magna-Plate 78 (Trigger Spray)

## 6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.  
Do not allow to enter sewers/ surface or ground water.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

## 6.4 Reference to other sections

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.

#### Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements to be met by storerooms and receptacles:

Store in a cool, dry place in tightly closed receptacles.

**Information about storage in one common storage facility:** Store away from oxidizing agents.

**Further information about storage conditions:** None.

**7.3 Specific end use(s):** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

#### Personal protective equipment

##### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

##### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

##### Protection of hands:



Protective gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### Eye protection:



Safety glasses with side-shields (EN 166).

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.05.2013

Version number 1

Revision: 13.05.2013

**Trade name:** JAX Magna-Plate 78 (Trigger Spray)**Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

##### Appearance:

**Form:** Liquid.  
**Colour:** Water white.

**Odour:** Nearly odourless.

**Odour threshold:** Not determined.

**pH-value:** Not determined.

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** Not determined.

**Flash point:** 57 °C (ASTM D 56)

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:** Not determined.

**Decomposition temperature:** Not determined.

**Danger of explosion:** Product does not present an explosion hazard.

##### Explosion limits:

**Lower:** Not determined.  
**Upper:** Not determined.

**Oxidizing properties:** Not determined.

**Vapour pressure:** Not determined.

**Density at 20 °C:** 0.85 g/cm<sup>3</sup>

**Relative density:** Not determined.

**Vapour density:** Not determined.

**Evaporation rate:** Not determined.

**Solubility in / Miscibility with water:** Not determined.

**Partition coefficient (n-octanol/water):** Not determined.

##### Viscosity:

**Dynamic:** Not determined.  
**Kinematic:** Not determined.

**9.2 Other information:** No further relevant information available.

## SECTION 10: Stability and reactivity

**10.1 Reactivity:** No data available.

### 10.2 Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions:** No dangerous reactions known.

**10.4 Conditions to avoid:** Keep away from heat and direct sunlight.

**10.5 Incompatible materials:** Avoid strong oxidants, strong alkalis and strong acids.

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.05.2013

Version number 1

Revision: 13.05.2013

**Trade name:** JAX Magna-Plate 78 (Trigger Spray)**10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****LD/LC50 values:****64742-48-9 Naphtha (petroleum), hydrotreated heavy\***

Oral LD50 &gt;5000 mg/kg (Rat)

Dermal LD50 &gt;3000 mg/kg (rab)

**Additional Information:** \*Contains less than 0.1 % w/w benzene (EC: 200-753-7).**Primary irritant effect:****on the skin:** No irritant effect.**on the eye:** No irritating effect known.**Sensitization:** No sensitizing effects known.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Do not allow product to reach sewage system.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN Number**

ADR, IMDG, IATA

UN1268

**14.2 UN proper shipping name**

ADR

IMDG, IATA

1268 PETROLEUM DISTILLATES, N.O.S.  
PETROLEUM DISTILLATES, N.O.S.

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.05.2013

Version number 1

Revision: 13.05.2013

**Trade name:** JAX Magna-Plate 78 (Trigger Spray)**14.3 Transport hazard class(es)**

ADR, IMDG, IATA



**Class** 3 Flammable liquids.  
**Label** 3

**14.4 Packing group**

ADR, IMDG, IATA III

**14.5 Environmental hazards****Marine pollutant:** No**14.6 Special precautions for user**

**Danger code (Kemler):** Warning: Flammable liquids.  
 30

**EMS Number:** F-E, S-E**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

**Transport/Additional information:**

ADR

**Tunnel restriction code:** D/E**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.2 Chemical safety assessment** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

R65 Harmful: may cause lung damage if swallowed.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent