



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation: Cleaning agent.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

JAX INC.

W134 N5373 CAMPBELL DRIVE

MENOMONEE FALLS, WI 53051 USA

Tel: +01-262-781-8850

Fax: +01-262-781-3906

Further information obtainable from:

REACH Only Representative

B-Lands Consulting

WTC, 5 Place Robert Schuman, BP 1516

38025 Grenoble, FRANCE

Tel: +33 476 295 869

Fax: +33 476 295 870

services@reachteam.eu

www.reachteam.eu

1.4 Emergency telephone number

UK - National Poisons Emergency: +44 870 600 6266 (24h - health professionals only).

Ireland - National Poisons Information Centre: +353 1 8379964.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

H229 Pressurized container: May burst if heated.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning

Hazard statements:

H229 Pressurized container: May burst if heated.

H319 Causes serious eye irritation.

30.0 % by mass of the contents are flammable

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Hazardous components:		
CAS: 811-97-2 EINECS: 212-377-0	1,1,1,2-Tetrafluorethan substance with a Community workplace exposure limit	50-100%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	10-25%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8	acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	10-25%

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation: Supply fresh air. Consult a doctor if symptoms persist.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Remove contact lenses, if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)**6.2 Environmental precautions**

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep away from heat and direct sunlight.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities**Requirements to be met by storerooms and receptacles:**

Store in a cool, dry place in tightly closed receptacles.
Observe official regulations on storing packagings with pressurized containers.

Information about storage in one common storage facility: Store away from oxidizing agents.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****811-97-2 1,1,1,2-Tetrafluorethan**

WEL (Great Britain)	Long-term value: 4240 mg/m ³ , 1000 ppm
---------------------	--

67-63-0 Propan-2-ol

WEL (Great Britain)	Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm
---------------------	--

67-64-1 acetone

WEL (Great Britain)	Short-term value: 3620 mg/m ³ , 1500 ppm Long-term value: 1210 mg/m ³ , 500 ppm
IOELV (EU)	Long-term value: 1210 mg/m ³ , 500 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls**Personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protective gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)**Eye protection:**

Safety glasses with side-shields (EN 166).

Body protection: Protective work clothing.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form: Aerosol.
Colour: Colourless.

Odour: Alcohol-like
Odour threshold: Not determined.

pH-value: Not determined.

Melting point/Melting range: Not determined.

Boiling point/Boiling range: Not applicable, as aerosol.

Flash point: Not applicable, as aerosol.

Flammability (solid, gaseous): Not applicable.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

Oxidizing properties: Not determined.

Vapour pressure: Not determined.

Density: Not determined.

Relative density: Not determined.

Vapour density: Not determined.

Evaporation rate: Not applicable.

Solubility in / Miscibility with water: Not determined.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.

9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: No data available.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** Keep away from heat and direct sunlight.**10.5 Incompatible materials** Avoid strong oxidants, strong alkalis and strong acids.**10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****LD/LC50 values:****67-63-0 Propan-2-ol**

Oral	LD50	5045 mg/kg (Rat)
Dermal	LD50	12800 mg/kg (Rabbit)
Inhalative	LC50/4h	30 mg/L (Rat)

67-64-1 acetone

Oral	LD50	5800 mg/kg (Rat)
Dermal	LD50	20000 mg/kg (Rabbit)

Primary irritant effect:**on the skin:** No irritant effect.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Do not allow product to reach sewage system.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN Number**

ADR, IMDG, IATA

UN1950

14.2 UN proper shipping name

ADR

1950 AEROSOLS

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)**IMDG**

AEROSOLS

IATA

AEROSOLS, non-flammable

14.3 Transport hazard class(es)**ADR****Class**

2 5A Gases.

Label

2.2

IMDG, IATA**Class**

2.2

Label

2.2

14.4 Packing group**ADR, IMDG, IATA**

Not applicable.

14.5 Environmental hazards**Marine pollutant:**

No

14.6 Special precautions for user

Warning: Gases.

Danger code (Kemler):

-

EMS Number:

F-D,S-U

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

Transport/Additional information:**ADR****Tunnel restriction code:**

E

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 1

Revision: 17.10.2016

Trade name: JAX Electrical Contact Cleaner Non- Flammable Formula (Aerosol)

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent