



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: JAX Magna-Plate 44-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation: Lubricant.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

JAX INC.
W134 N5373 CAMPBELL DRIVE
MENOMONEE FALLS, WI 53051 USA
Tel: +01-262-781-8850
Fax: +01-262-781-3906
E-mail: patty@jax.com
Web: www.jax.com

Further information obtainable from:

REACH Only Representative
B-Lands Consulting
WTC, 5 Place Robert Schuman, BP 1516
38025 Grenoble, FRANCE
Tel: +33 476 295 869
Fax: +33 476 295 870
Email: europa@reach-compliance.eu
Web: www.reachteam.eu

1.4 Emergency telephone number(s):

NHS Direct: 111 (England and Scotland), 0845 46 47 (Wales).
National Poisons Information Service (NPIS): 0344 892 0111 (healthcare professionals only).
Ireland - National Poisons Information Centre: 01 837 9964 or 01 809 2566 (healthcare professionals only).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Not applicable.

Signal word: Not applicable.

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains N, N-Bis(2-ethylhexyl) -ar-methyl-1H-benzotriazole 1-methylamine. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

Trade name: JAX Magna-Plate 44-0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components:

CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32	Zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥2.5-<5%
CAS: 94270-86-7	N, N-Bis(2-ethylhexyl) -ar-methyl-1H-benzotriazole 1-methylamine Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%

Non-hazardous components:

CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil (petroleum)	50-100%
--	-------------------------------	---------

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Move patient to fresh air, if symptoms persist consult a doctor.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Remove contact lenses, if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Sulphur dioxide (SO₂)

Phosphor oxides (PO_x).

Carbon dioxide (CO₂)

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes.

Use personal protective equipment.

Keep away from ignition sources.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

Trade name: JAX Magna-Plate 44-0

6.2 Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up Absorb with liquid-binding material.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep away from heat and direct sunlight.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool, dry location in well sealed receptacles.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions: None.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands:



Protective gloves.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Eye protection:



Safety glasses with side-shields (EN 166).

Body protection: Protective work clothing.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

Trade name: JAX Magna-Plate 44-0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Paste.
Colour: White.

Odour: Characteristic.

Odour threshold: Not determined.

pH-value: Not applicable.

Melting point/freezing point: <20 °C

Initial boiling point and boiling range: >35 °C

Flash point: 230 °C

Flammability (solid, gas): Not applicable.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.

Upper: Not determined.

Oxidising properties: Not determined.

Vapour pressure: Not determined.

Density: Not determined.

Relative density at 15 °C: 0.899

Vapour density: Not determined.

Evaporation rate: Not applicable.

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Dynamic at 40 °C: 150 mm²/s

Kinematic: Not determined.

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Keep away from heat and direct sunlight.

10.5 Incompatible materials Avoid strong oxidants, strong alkalis and strong acids.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

Trade name: JAX Magna-Plate 44-0

10.6 Hazardous decomposition products Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values:

Oral	ATEmix	>2,000 mg/kg (Rat)
Dermal	ATEmix	>2,000 mg/kg (Rabbit)
Inhalative	ATEmix	>20 mg/l/4h (Rat)

8042-47-5 White mineral oil (petroleum)

Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rabbit)
Inhalative	LC50/4h	>20 mg/L (Rat)

1314-13-2 Zinc oxide

Oral	LD50	>2,000 mg/kg (Rat)
------	------	--------------------

94270-86-7 N, N-Bis(2-ethylhexyl) -ar-methyl-1H-benzotriazole 1-methylamine

Oral	LD50	>2,000 mg/Kg bw (Rat)
------	------	-----------------------

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

LC50/96h	10-100 mg/L (Fish)
IC50/72h	10-100 mg/L (Algae)
EC50/48h	10-100 mg/L (Daphnia)

8042-47-5 White mineral oil (petroleum)

LC50/96h	10,000 mg/L (Lepomis Macrochirus)
EC50/48h	>100 mg/L (Daphnia Magna)
IC50/72h	>100 mg/L (Algae)

1314-13-2 Zinc oxide

LC50/96h	1.1 mg/L (Rainbow Trout)
----------	--------------------------

94270-86-7 N, N-Bis(2-ethylhexyl) -ar-methyl-1H-benzotriazole 1-methylamine

LC50/96h	1.3 mg/L (Brachidanio Rerio)
EC50/48h	1.4 mg/L (Daphnia Magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

Trade name: JAX Magna-Plate 44-0**Ecotoxicological effects:****Remark:** Harmful to fish**Additional environmental information:****General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 Do not allow product to reach ground water, water course or sewage system.
 Danger to drinking water if even small quantities leak into the ground.
 Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Do not allow product to reach sewage system.**Uncleaned packaging:****Recommendation:**

Disposal must be made in accordance with official regulations.
 Packaging that may not be cleansed must be disposed of in the same manner as the product.

SECTION 14: Transport information**14.1 UN Number****ADR, ADN, IMDG, IATA** Not applicable.**14.2 UN proper shipping name****ADR, ADN, IMDG, IATA** Not applicable.**14.3 Transport hazard class(es)****ADR, ADN, IMDG, IATA**
Class Not applicable.**14.4 Packing group****ADR, IMDG, IATA** Not applicable.**14.5 Environmental hazards****Marine pollutant:** No**14.6 Special precautions for user** Not applicable.**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients are listed.**15.2 Chemical safety assessment** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.01.2019

Version number 1

Revision: 08.01.2019

Trade name: JAX Magna-Plate 44-0

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3